


**det-basico**  
01/19 104



**DET-BASICO**

All-purpose alkaline degreaser cleaner.

**substrate  
preparation**



# det-basico



## APPEARANCE

Transparent liquid

## STORAGE

12 months in dry place, protected against freezing and high temperatures

## FIELDS OF USE

- Removal of traces of: oil, grease, wax and smog particles from all types of non-absorbent surfaces.
- Washing ceramic or natural stone floors to be covered by new, glued flooring material.



## NATURE OF THE PRODUCT

DET-BASICO contains alkalifiers and surface-active agents.

For further details, ask the technical office for the safety brief or download it from our web site [www.technokolla.com](http://www.technokolla.com).

## APPLICATION

Apply the product evenly over the surface and allow it to act for approximately 15 min. Now clean the surface with a hard brush or common domestic brush. Finally, rinse the surface with plenty of water.

Warning: if the surface is an old vinyl, PVC or rubber floor, the detergent must not remain on it for more than 60 seconds.

Tools used with DET-BASICO can be easily cleaned with water.

## CONSUMPTION

~ 100-200 g/m<sup>2</sup> depending on porosity of substrate

## substrate preparation



TECHNICAL DATA	VALUE
Appearance	Liquid
Colour	Transparent
Weight density (g/cm <sup>3</sup> )	~ 1.02
pH	~ 13
Waiting time prior to rinsing	15 min.

**Technokolla** reminds you to examine the “notes” document that completes the information in this data sheet. The document can be downloaded in the pdf format from the website [www.technokolla.com](http://www.technokolla.com).

The advice about technical matters in the technical data sheets, or given verbally or in writing by our personnel as part of our customer assistance service, is the result of our best and most up to date experience. Since we are unable to personally modify the conditions in the building site or the way the work is carried out, this information is purely indicative and, thus, binds us neither legally nor in any other way in relation third parties. This information does not relieve the end user from being responsible for testing our products so as to make sure they are fit for the required use. We therefore strongly advise the customer/user to subject Technokolla's products to preventive tests in order to ensure that they are suitable. The end user is also responsible for checking to make sure that this technical data sheet is not obsolete and that more recent editions have not replaced it. Thus, before using our products, you are advised to download the most up to date version of the technical data sheet from our web site [www.technokolla.com](http://www.technokolla.com).



**Sika Italia S.p.A.**

Registered Office and Administrative Headquarters: Via L. Einaudi 6,  
20068 Peschiera Borromeo (MI)

Sassuolo Plant (MO): Via Radici in Piano 558, Postal Code 41049

Tel: +39 0536 809711 Fax: +39 0536 809729 [www.technokolla.com](http://www.technokolla.com)